

2 Ruggenmergslaesie door wervelfracturen

Literatuur

- Allen AR. Surgery of experimental lesion of spinal cord equivalent to crush injury of fracture dislocation of the spinal column. *JAMA* 1911; 57: 878-80.
- Allen jr BL, Ferguson RL, Lehman TR et al. A mechanistic classification of closed, indirect fractures and dislocations of the lower cervical spine. *Spine* 1982; 7: 1-27.
- Beattie EC, Stellwagen D, Morishita W, Bresnahan JC, Ha BK, Von Zastrow M et al. Control of synaptic strength by glial TNF-alpha. *Science* 2002; 295: 2282-5.
- Bennett G. In: Beckett Howorth M, Gordon Petrie J, editors. *Injuries of the spine*. Baltimore: Williams and Wilkins; 1964.
- Bosch A, Stauffer ES, Nichel VL. Incomplete traumatic quadriplegia. A ten-year review. *JAMA* 1971; 216:473-8.
- Bosch DA. Medicamenteuze bevordering van neurologisch herstel na een acuut traumatisch ruggenmergletsel. *Ned Tijdschr Geneesk* 1992;136: 212-4.
- Braakman R, Fontijne WPJ, Zeegers R et al. Neurological deficit in injuries of the thoracic and lumbar spine. *Acta Neurochir* 1991; 11:11-7.
- Braakman R, Penning L. *Injuries of the cervical spine*. Monografie. Amsterdam: Excerpta Medica; 1971. 117-9.
- Bracken MB, Holford TD. Effects of timing of methylprednisolone or naloxone administration on recovery of segmental and long-tract neurological function in NASCIS 2. *J Neurosurg* 1993; 79: 500-07.
- Bracken MB, Shepard MJ, Collins WF et al. A randomized, controlled trial of methylprednisolone or naloxone in the treatment of acute spinal-cord injury. Results of the Second National Acute Spinal Cord Injury Study [see comments]. *New Engl J Med* 1990; 322: 1405-11.
- Bracken MB, Shepard MJ, Collins WF Jr et al. Methylprednisolone or naloxone treatment after acute spinal cord injury: 1-year follow-up data. Results of the second National Acute Spinal Cord Injury Study. *J Neurosurg* 1992;76: 23-31.
- Bracken MB, Shepard MJ, Hellenbrand KG et al. Methylprednisolone and neurological function 1 year after spinal cord injury. Results of the National Acute Spinal Cord Injury Study. *J Neurosurg* 1985; 63:704-13.
- Bracken MB, Shepard MJ, Holford TR et al. Administration of methylprednisolone for 24 or 48 hours or tirilazad mesylate for 48 hours in the treatment of acute spinal cord injury. Results of the Third National Acute Spinal Cord Injury Randomized Controlled Trial. National Acute Spinal Cord Injury Study. *JAMA* 1997; 277:1597-604.
- Bracken MB, Shepard MJ, Holford TR et al. Methylprednisolone or tirilazad mesylate administration after acute spinal cord injury: 1-year follow up. Results of the third National Acute Spinal Cord Injury randomized controlled trial. *J Neurosurg* 1998; 89: 699-706.

Handboek dwarslaesierevalidatie

- Bracken MB. Methylprednisolone and acute spinal cord injury. An update of the randomized evidence. *Spine* 2001; 26 Suppl 24: S47-S54.
- Braughler JM, Pregenzer JF. The 21 aminosteroid inhibitors of lipid peroxidation. Reactions with lipid peroxy and phenoxy radicals. *Free Rad Biol Med* 1989; 7: 125-30.
- Caroni P, Schwab ME. Two membrane protein fractions from rat central myelin with inhibitory properties for neurite growth and fibroblast spreading. *J Cell Biol* 1988; 106: 1281-8.
- Crowe MJ, Bresnahan JC, Shuman SL, Masters JN, Beattie MS. Apoptosis and delayed degeneration after spinal cord injury in rats and monkeys. *Nat Med* 1997; 3: 73-6.
- David S, Aguayo AJ. Axonal elongation into peripheral nervous system bridges after central nervous system injury. *Science* 1981; 214: 931-3.
- Denis F. The three column spine and its significance in the classification of acute thoracolumbar spinal injuries. *Spine* 1983; 8: 817-31.
- Deumens R, Koopmans GC, Joosten EA. Regeneration of descending axon tracts after spinal cord injury. *Prog Neurobiol* 2005; 77: 57-89.
- Dobkin B, Apple D, Barbeau H, Basso M, Behrman A, Deforge D et al; Spinal Cord Injury Locomotor Trial Group. Weight-supported treadmill vs over-ground training for walking after acute incomplete SCI. *Neurology* 2006; 66: 484-93.
- Dumont RJ, Okonkwo DO, Verma S et al. Acute spinal cord injury. Part I: Pathophysiologic mechanisms. *Clin Neuropharmacol* 2001; 24: 254-64.
- Dumont RJ, Verma S, Okonkwo DO et al. Acute spinal cord injury. Part II: Contemporary pharmacotherapy. *Clin Neuropharmacol* 2001; 24: 265-79.
- Edgerton VR, de Leon RD, Tillakaradne N, Recktenwald MR, Hodgson JA, Roy RR. Use-dependent plasticity in spinal stepping and standing. *Adv Neurol* 1997; 72: 233-47.
- Faden AI, Simon RP. A potential role for excitotoxins in the pathophysiology of spinal cord injury. *Ann Neurol* 1989; 23: 623-6.
- Fehlings MG, Perrin RG. The timing of surgical intervention in the treatment of spinal cord injury. A systematic review of recent clinical evidence. *Spine* 2006; 31 (11) Suppl S28-S35.
- Feron F, Perry C, Cochrane J, Licina P, Urquhart S, Geraghty T et al. Autologous olfactory ensheathing cell transplantation in human spinal cord injury. *Brain* 2005; 128: 2951-60.
- Fisher CG, Noonan VK, Dvorak MF. Changing face of spine trauma care in North America. *Spine* 2006; 31 (11) Suppl S2-S8.
- Freeman L, Wright T. Experimental observations on concussion and contusion of the spinal cord. *Ann Surg* 1953; 137: 433-43.
- Galibert PM. *Considerations anatomiques et physiopathologiques sur les traumatismes medullaires* [dissertatie]. Lille: 1958.

Handboek dwarslaesierevalidatie

- Geisler FH, Coleman WP, Grieco G, Poonian D; Sygen Study Group. The Sygen multicenter acute spinal cord injury study. *Spine* 2001; 26 Suppl 24: S87-98.
- Geisler FH, Dorsey FC, Coleman WP. Recovery of motor function after spinal-cord injury-a randomized, placebo-controlled trial with GM-1 ganglioside 12. *N Engl J Med* 1991; 324:1829-38.
- Grandpre T, Li S, Strittmatter SM. NOGO-66 receptor antagonist peptide promotes axonal regeneration. *Nature* 2002; 417: 547-51.
- Guidelines for the management of acute cervical spine and spinal cord injuries. *Neurosurgery* 2002; 50 (3) Suppl.
- Hadley MN, Walters BC, Grabb PA et al. Guidelines for the management of acute cervical spine and spinal cord injuries. *Neurosurgery* 2002; 50 Suppl 3: S1-S199.
- Hadley MN, Walters BC, Grabb PA et al. Pharmacological therapy after acute cervical spinal cord injury. *Neurosurgery* 2002; 50 Suppl 3: S63-S72.
- Hall ED. The neuroprotective pharmacology of methylprednisolone. *J Neurosurg* 1992; 76: 13-22.
- Harris MB, Sethi RK. The initial assessment and management of the multiple-trauma patient with an associated spine injury. *Spine* 2006; 31 (11) Suppl S9-15.
- Hermann GE, Rogers RC, Bresnahan JC, Beattie MS. Tumor Necrosis Factor-alpha Induces cFOS and Strongly Potentiates Glutamate-Mediated Cell Death in the Rat Spinal Cord. *Neurobiol Disease* 2001; 8: 590-9.
- Hurlbert RJ. The role of steroids in acute spinal cord injury. An evidence-based analysis. *Spine* 2001; 26 Suppl 24: S39-S46.
- Joosten EA. Corticospinal tract regrowth. *Prog Neurobiol* 1997; 53: 1-25.
- Klerk de LWL. *Burst fractures of the thoracic and lumbar spine. Operative versus conservative treatment* [dissertatie]. Rotterdam: 1994.
- Koopmans GC, Brans M, Gómez-Pinilla F, Duis S, Gispen WH, Torres-Aleman I et al. Circulating insulin-like growth factor I and functional recovery from spinal cord injury under enriched housing conditions. *Eur J Neurosci* 2006; 23: 1035-46.
- Koopmans GC, Deumens R, Honig WM, Hamers FPT, Steinbusch HW, Joosten EA. The assessment of locomotor function in spinal cord injured rats. The importance of objective analysis of coordination. *J Neurotrauma* 2005; 22: 214-25.
- Kwon BK, Tetzlaff W, Grauer JN, Beiner J, Vaccaro AR. Pathophysiology and pharmacological treatment of acute spinal cord injury. *Spine* 2004; 4: 451-64.
- Kwon BK, Vaccaro AR, Grauer JN, Charles MD, Fisher G, Dvorak MF. Subaxial cervical spine trauma. *J Am Acad Orthop Surg* 2006; 14: 78-89.
- Lankhorst AJ, ter Laak MP, van Laar TJ, van Meeteren NLU, de Groot JCMJ, Schrama LH et al. Effects of enriched housing on functional recovery after spinal cord contusive injury in the adult rat. *J Neurotrauma* 2001; 18:203-15.
- Lemke M, Faden AI. Edema development and ion changes in rat spinal cord after impact trauma. Injury dose response studies. *J Neurotrauma* 1990; 7: 41-54.

Handboek dwarslaesierevalidatie

- Levi L, Wolf A, Belzberg H. Hemodynamic parameters in patients with acute cervical cord trauma. Description, intervention, and prediction of outcome. *Neurosurgery* 1993; 33: 1007-16.
- Liu XZ, Xu XM, Hu R, Du C, Zhang SX, McDonald JW et al. Neuronal and glial apoptosis after traumatic spinal cord injury. *J Neurosci* 1997; 17: 5395-406.
- Lowery DW, Wald MM, Brown BJ ,Trigger J, Hoffman JR, Mowen WR. Epidemiology of cervical spine injury victims. *Ann Emerg Med* 2001; 38:12-6.
- Maynard FMJ. *International Standard for Neurological and Functional Classification of Spinal Cord Injury*. Chicago: American Spinal Injury Association; 1996. 26.
- Meent H van de. *Pharmacologic strategies in the treatment of experimental spinal cord injury* [dissertatie]. Utrecht: 1995. 6-12.
- Meent H van der, Vos PE, Schreuder HWB, Hoeven JG van der. Traumatisch ruggenmergletsel en cardiovasculaire complicaties door neurogene shock: een mogelijke bedreiging voor het functioneel herstel. *Ned Tijdschr Geneesk* 2004;148:1103-6.
- Moore TA, Vaccaro AR, Anderson P. Classification of lower cervical spine injuries. *Spine* 2006; 31 (11) Suppl S37-S43.
- Oner FC, Verlaan JJ, Verbout AJ, Dhert WJ. Cement augmentation techniques in traumatic thoracolumbar spine fractures. *Spine* 2006; 31 (11) Suppl S89-95.
- Pang D, Wilberger JW. Spinal cord injury without radiographic abnormalities in children. *J. Neurosurgery* 1982; 57: 114-9.
- Plant GW, Christensen CL, Oudega M, Bunge MB. Delayed transplantation of olfactory ensheathing glia promotes sparing/regeneration of supraspinal axons in the contused adult rat spinal cord. *J Neurotrauma* 2003; 20:1-16.
- Ramer LM, Ramer MS, Steeves JD. Setting the stage for functional repair of spinal cord injuries. A cast of thousands. *Spinal Cord* 2005; 43: 134-61.
- Richards PJ. Cervical spine clearance. A review. *Injury* 2005; 36: 248-69.
- Ruitenberg MJ, Plant GW, Hamers FPT, Wortel J, Blits B, Dijkhuizen PA et al. Ex vivo adenoviral vector-mediated neurotrophin gene transfer to olfactory ensheathing glia. Effects on rubrospinal tract regeneration, lesion size and functional recovery following implantation in the injured rat spinal cord. *J Neurosci* 2003; 23: 7045-58.
- Schneider RC, Pantek H. The syndrome of acute central cervical spinal cord injury. *J. Neurosurgery* 1954; 11: 546.
- Schneider RC. Surgical indications and contraindications in spine and spinal cord trauma. *Clin Neurosurg* 1962: 8, 157-80.
- Schwab JM et al. Experimental strategies to promote spinal cord regeneration - an integrative perspective. *Prog in Neurobiology* 2006; 78: 91-116.
- Short DJ, El Masry WS, Jones PW. High dose methylprednisolone in the management of acute spinal cord injury – a systematic review from a clinical perspective. *Spinal Cord* 2000; 38: 273-86.

Handboek dwarslaesierevalidatie

Silver J, Miller JH. Regeneration beyond the glial scar. *Nature Neuroscience Reviews* 2004; 5: 146-56.

Stauffer ES. Diagnosis and prognosis of acute spinal cord injury. *Clin Orthop* 1975; 112:9-15.

Striell JG, Clement CM, McKnight RD et al. The Canadian C-spine rule versus the NEXUS low risk criteria in patients with trauma. *N Engl J Med* 2003; 349: 2510-8.

Tator CH, Fehlings MG. Review of the secondary injury theory of acute spinal cord trauma with emphasis on vascular mechanisms. *J Neurosurg* 1991;75:15-26.

Tator CH, Koyanagi I. Vascular mechanisms in the pathophysiology of human spinal cord injury. *J Neurosurg* 1997;86: 483-92.

Thomas KC, Bailey CS, Dvorak MF, Kwon B, Fisher C. Comparison of operative and nonoperative treatment for thoracolumbar burst fractures in patients without neurological deficit: a systematic review. *J Neurosurg Spine* 2006; 4:351-8.

Vaccaro AR, editor. *Fractures of the cervical, thoracic and lumbar spine*. New York: Marcel Dekker; 2003.

Vaccaro AR, Lehman RA Jr, Hurlbert RJ, Anderson PA, Harris M, Hedlund R et al. A new classification of thoracolumbar injuries. The importance of injury morphology, the integrity of the posterior ligamentous complex, and neurologic status. *Spine* 2005; 30:2325-33.

Vaccaro AR, Lim MR, Hurlbert RJ, Lehman RA Jr, Harrop J, Fisher DC et al. Surgical decision making for unstable thoracolumbar spine injuries. Results of a consensus panel review by the spine trauma study group. *J Spinal Disord Tech* 2006; 19:1-10.

Vale FL, Burns J, Jackson AB, Hadley MN. Combined medical and surgical treatment after acute spinal cord injury. Results of a prospective pilot study to assess the merits of aggressive medical resuscitation and blood pressure management. *J Neurosurg* 1997; 87: 239-46.

Vandertop WP, Notermans NC, Algra A. Methylprednisolon bij traumatische dwarslaesie: voorlopig nog geen baten voor de patiënt. *Ned Tijdschr Geneesk* 1998; 142:1061-4.

Wernig A, Muller S, Nanassy A, Cagol E. Laufband therapy based on 'rules of spinal locomotion' is effective in spinal cord injured persons. *Eur J Neurosci* 1995; 7: 823-9.

White AA, Panjabi MM. Kinematics of the spine. In: White AA, Panjabi MM, editors. *Clinical biomechanics of the spine*. 2nd ed. Philadelphia: JB Lippincott; 1990.

Windle WF. *The spinal cord and its reaction to traumatic injury*. New York: Marcel Dekker 1980. 249-70.