

9 Genitale stoornissen

Literatuur

- Alaca R, Goktepe AS, Yildiz N et al. Effect of penile vibratory stimulation on spasticity in men with spinal cord injury. *Am J Phys Med Rehabil* 2005; 84: 875-9.
- Ayers JW, Moinippanah R, Bennett CJ et al. Successful combination therapy with electroejaculation and in vitro fertilization embryo transfer in the treatment of a paraplegic male with severe oligoasthenospermia. *Fertil Steril* 1988; 49: 1089.
- Beckerman H, Becher J, Lankhorst GJ. The effectiveness of vibratory stimulation in anejaculatory men with spinal cord injury. Review article. *Paraplegia* 1993; 31: 689-99.
- Bérard EJJ. The sexuality of spinal cord injured women. Physiology and pathophysiology. A review. *Paraplegia* 1989; 27: 99.
- Biering-Sorensen F, Laessoe L, Sonksen J et al. The effect of penile vibratory stimulation on male fertility potential, spasticity and neurogenic detrusor overactivity in spinal cord lesioned individuals. *Acta Neurochir Suppl* 2005; 93: 159-63.
- Blank W, Batzofin J, Tran C et al. The use of electroejaculation and zygote intrafallopian transfer to achieve a pregnancy after a major gunshot wound to the abdomen. A unique application. *Fertil Steril* 1990; 54: 950.
- Brackett NL, Lynne CM, Weizman MS et al. Scrotal and oral temperature are not related to semen quality or serum gonadotropin levels in spinal cord injured men. *J Androl* 1994; 15: 614.
- Brackett NL, Lynne CM, Weizman MS et al. Endocrine profiles of spinal cord injured men. *J Urol* 1994; 151: 114.
- Brindley GS. Electroejaculation. Its technique, neurological implications and uses. *J Neurol Neurosurg Psychiatry* 1981; 44: 9.
- Brindley GS, Sauerwein D, Hendry WF. Hypogastric plexus stimulators for obtaining semen from paraplegic men. *Br J Urol* 1989; 64: 72.
- Chapelle PA, Blanquart F, Puech AJ et al. Treatment of anejaculation in the total paraplegic by subcutaneous injection of physostigmine. *Paraplegia* 1983; 21: 30.
- Charlifue SW, Gerhart KA, Menter RR et al. Sexual issues of women with spinal cord injuries. *Paraplegia* 1992; 30: 192-9.
- Chung PH, Yeko TR, Mayer JC et al. Assisted fertility using electroejaculation in men with spinal cord injury. A review of literature. *Fertil Steril* 1995; 64: 1.
- Closson JB, Toerge JE, Ragnarsson KT et al. Rehabilitation in spinal cord disorders. 3. Comprehensive management of spinal cord injury. *Arch Phys Med Rehabil* 1991; 72: S298.
- DeForge D, Blackmer J, Garrity C, Yazdi F, Cronin V, Barrowman N et al. Fertility following spinal cord injury. A systematic review. *Spinal Cord* 2005; 43: 693-703.

- DeForge D, Blackmer J, Garrity C, Yazdi F, Cronin V, Barrowman N et al. Male erectile dysfunction following spinal cord injury. A systematic review. *Spinal Cord* 2006; 44: 465-73.
- Del Popolo G, Li Marzi V, Mondaini N et al. Time/duration effectiveness of sildenafil versus tadalafil in the treatment of erectile dysfunction in male spinal cord-injured patients. *Spinal Cord* 2004; 42: 643-8.
- Delaney G, Tummon IS, Warren GJ et al. Assisted ejaculation and reproductive technologies. *J Spinal Cord Med* 1997; 20: 167.
- Denil J, Ohi DA, Smythe C. Vacuum erection device in spinal cord injured men. Patient and partner satisfaction. *Arch Phys Med Rehabil* 1996; 77: 750-3.
- Derry F, Hultling C, Seftel AD et al. Efficacy and safety of sildenafil citrate (Viagra ®) in men with erectile dysfunction and spinal cord injury. A review. *Urology* 2002; 60: 49-57.
- Elliott S. Ejaculation and orgasm. Sexuality in men with SCI. *Top Spinal Cord Inj Rehabil* 2002; 8: 1-15.
- Geneesmiddelenrepertorium* (2004). <http://www.bcfi.be>.
- Gianotten WL. De prikpil in de revalidatie. Gecontraïndiceerd in verband met osteoporose! *Revalidata* 2005; 27: 44-5.
- Giuliano F, Rubio-Aurioles E, Kennelly M, et al. Vardenafil Study Group. Efficacy and safety of vardenafil in men with erectile dysfunction caused by spinal cord injury. *Neurology* 2006; 66: 210-6.
- Guttmann L, Walsh JJ. Prostigmine assessment test of fertility in spinal man. *Paraplegia* 1971; 9: 39.
- Halstead LS, Seager SW. The effects of rectal probe electrostimulation on spinal cord injury spasticity. *Paraplegia* 1991; 29: 43-7.
- Halstead LS, Seager SW, Houston JM et al. Relief of spasticity in SCI men and women using rectal probe electrostimulation. *Paraplegia* 1993; 31: 715-21.
- Horne MW, Paull DP, Munro D. Fertility studies in the human male with traumatic injuries of the spinal cord and cauda equina. *N Engl J Med* 1948; 239: 959.
- Huang HFS, Linsenmeyer TA, Li MT, Giglio W et al. Acute effects of spinal cord injury on the pituitary testicular hormone axis and Sertoli cell functions. A time course study. *J Androl* 1995; 16: 148-57.
- Hultling C, Rosenlund B, Levi R et al. Assisted ejaculation and in-vitro fertilization in the treatment of infertile spinal cord-injured men. The role of intracytoplasmic sperm injection. *Hum Reprod* 1997; 12: 499-502.
- Jackson AB. Medical management of women with spinal cord injury. A review. *Top Spinal Cord Inj Rehabil* 1995; 1: 11-6.
- Komisaruk BR, Whipple B. Functional MRI of the brain during orgasm in women. *Annu Rev Sex Res* 2005; 16: 62-86.

- Kuhr CS, Heiman J, Cardenas D et al. Premature emission after spinal cord injury. *J Urol* 1995; 153: 429-31.
- Linsenmeyer TA, Perkash I. Infertility in men with spinal cord injury. *Arch Phys Med Rehabil* 1991; 72: 747.
- Linsenmeyer TA, Pogach LM, Ottenweller JE et al. Spermatogenesis and the pituitary testicular hormone axis in rats during the acute phase of spinal cord injury. *J Urol* 1994; 152: 1302-7.
- Löchner-Ernst D, Mandalka B, Kramer G et al. Conservative and surgical semen retrieval in patients with spinal cord injury. *Spinal Cord* 1997; 35: 463-8.
- Lue TF. Drug Therapy. Erectile Dysfunction. *N Engl J Med* 2000; 342: 1802-13.
- Martinez Arizala A, Brackett NL. Sexual dysfunction in spinal cord injury. In: Singer C, Weiner WJ. *Sexual Dysfunction. A Neuro medical Approach*. Armonk, NY: Futura Publishing Company Inc; 1994. 135-53.
- Naftchi NE, Viau AT, Sell GH et al. Pituitary testicular dysfunction in spinal cord injury. *Arch Phys Med Rehabil* 1980; 61: 402.
- Nehra A, Werner MA, Bastuba M et al. Vibratory stimulation and rectal probe electroejaculation as therapy for patients with spinal cord injury. Semen parameters and pregnancy rates. *J Urol* 1996; 155: 554.
- Nygaard I, Bartscht KD, Cole S. Sexuality and reproduction in spinal cord injured women. *Obst Gyn Surv* 1990; 45: 727.
- Ohl DA, Denil J, Fitzgerald Shelton K et al. Fertility of spinal cord injured males. Effect of genitourinary infection and bladder management on results of electroejaculation. *J Am Paraplegia Soc* 1992; 15: 53-9.
- Ohl DA, Menge AC, Sönksen J. Penile vibratory stimulation in spinal cord injured men. Optimized vibration parameters and prognostic factors. *Arch Phys Med Rehabil* 1996; 77: 903.
- Perkash I, Martin DE, Warner H et al. Reproductive biology of paraplegics. Results of semen collection, testicular biopsy and serum hormone evaluation. *J Urol* 1985; 134: 284.
- Pryor JL, LeRoy SC, Nagel TC et al. Vibratory stimulation for treatment of anejaculation in quadriplegic men. *Arch Phys Med Rehabil* 1995; 76: 59.
- Rutkowski SB, Geraghty TJ, Hagen DL et al. A comprehensive approach to the management of male infertility following spinal cord injury. *Spinal Cord* 1999; 37: 508-14.
- Sanchez Ramos A, Vidal J, Jáuregui ML et al. Efficacy, safety and predictive factors of therapeutic success with sildenafil for erectile dysfunction in patients with different spinal cord injuries. *Spinal Cord* 2001; 39: 637-43.
- Seager SWJ, Halstead LS. Fertility options and success after spinal cord injury. *Urol Clin North Am* 1993; 20: 543.
- Segraves RT, Balon R. Sexual pharmacology. Fast facts. New York: Norton & Cy; 2003.

- Sipski ML, Alexander CJ. Sexual activities, response and satisfaction in women pre and post spinal cord injury. *Arch Phys Med Rehabil* 1993; 74: 1025-9.
- Sipski ML, Alexander CJ, Rosen RC. Physiologic parameters associated with psychogenic sexual arousal in women with complete spinal cord injuries. *Arch Phys Med Rehabil* 1995; 76: 811-8.
- Sipski ML, Alexander CJ, Rosen RC. Orgasm in women with spinal cord injuries. A laboratory based assessment. *Arch Phys Med Rehabil* 1995; 76: 1097-102.
- Sipski ML, Alexander CJ, Rosen RC. Physiologic parameters associated with sexual arousal in women with incomplete spinal cord injuries. *Arch Phys Med Rehabil* 1997; 78: 305-13.
- Sipski ML, Rosen RC, Alexander CJ et al. Sildenafil effects on sexual and cardiovascular responses in women with spinal cord injury. *Urology* 2000; 55: 812-5.
- Sipski ML, Alexander CJ. Documentation of the impact of Spinal Cord injury on female sexual dysfunction. The female spinal function classification. *Top Spinal Cord Inj Rehabil* 2002; 8: 63-73.
- Sönksen J, Biering Sørensen F, Kristensen JK. Ejaculation induced by penile vibratory stimulation in men with spinal cord injuries. The importance of the vibratory amplitude. *Paraplegia* 1994; 32: 651.
- Sönksen J, Sommer P, Biering-Sørensen F et al. Pregnancy After Assisted Ejaculation Procedures in Men With Spinal Cord Injury. *Arch Phys Med Rehabil* 1997; 78: 1059-61.
- Sönksen J, Ohl DA, Giwerzman A, Biering-Sørensen F, Skakkebaek NE, Kristensen JK. Effect of repeated ejaculation on semen quality in spinal cord injured men. *J Urol* 1999; 161: 1163-5.
- Sönksen J, Ohl DA. Penile vibratory stimulation and electroejaculation in the treatment of ejaculatory dysfunction. *Int J Androl* 2002; 25: 324-32.
- Sönksen J, Chen D. Management of male infertility after spinal cord injury. *Top Spinal Cord Inj Rehabil* 2002; 8: 29-41.
- Taylor Z, Molloy D, Hill V et al. Contribution of the Assisted Reproductive Technologies to fertility in Males Suffering Spinal Cord Injury. *Aust NZ J Obstet Gynaecol* 1999; 39: 84-7.
- Thomas RJS, McLeish G, McDonald IA. Electroejaculation of the paraplegic male followed by pregnancy. *Med J Aust* 1975; 2: 798.
- Toledo AA, Tucker MJ, Bennett JK et al. Electroejaculation in combination with in vitro fertilization and gamete micromanipulation for treatment of anejaculatory male infertility. *Am J Obstet Gynecol* 1992; 167: 322.
- Ückert S, Stief CG, Jonas U. Current and future trends in the oral pharmacotherapy of male erectile dysfunction. *Expert Opin Investig Drugs* 2003; 12: 1521-33.
- Wyndaele JJ. De behandeling van de neurogene blaas bij paraplegische patiënten met een Finetech Brindley stimulator. *Tijdschr voor Geneesk* 1993; 49: 27-30.

Zermann DH, Kutzenberger J, Sauerwein D, Schubert J, Loeffler U. Penile prosthetic surgery in neurologically impaired patients. Long-term follow up. *J Urol* 2006; 175: 1041-4.